

# KOMAN

대한민국 주방 용품 전문 브랜드 KOMAN

## KOMAN Shinewon 钛涂层煎锅产品

[www.koman.kr](http://www.koman.kr)



# KOMAN黑色钛6种涂布体制

## KOREA SUPERMAN

# KOMAN



## KOREA SUPERMAN

韩国超人以超人的能力拯救地球，  
帮助人类，  
实现正义。

CoMen正在用超人的心态制作房用品。

# KOMAN

## 韩国专业品牌koman

KOMAN以感性设计和匠人精神为基础的高品质  
KOMAN带给顾客极大的满足，  
引领升级为其他厨房文化。



Made in Korea  
KOREA SUPERMAN

# KOMAN



**2020 首尔奖**  
**KOMAN 优秀的产品选择**  
(首尔产业振兴院)



# Product Features

## Titanium coating



### 特长点1. 钛(TITANIUM)

用于航空、船舶、汽种植牙的具有最高耐用性的尖端材料钛。

### 特长点2. 内外6种涂层体制

拥有出色塑胶的黑色涂层，加上强效坚固的钛涂层，可减少涂层摩擦力，强效的涂层力和清洁力优秀。通过远红外线照射，使料理更加美味。



### 特长点3. 钛和紫兰涂层相遇


用于航空、船舶、汽车种植牙的具有最高耐久性的钛和沃德福特公司生产的木兰涂层凝固混合的涂层鸟名。



### 特长点4. Premium铸造方式...

以更加结实的高端整铸物方式减少热损，保持食物本来的味道和营养。

## 6-Layers Coating System



与 KOMAN 同步。平底锅赞助

jtbc 금토드라마

# 梨泰院 CLASS


ITAEWON CLASS

소신에 대가가 없는  
그런 삶을 살고 싶습시다

2020.1.31 | 금 PM 10:50 첫방송/매주 금·토 PM 10:50

박서준 김다미 유재명 권나라 김동희 안보현 김혜은 류경수 이주영

ETIQA MONTBLANC 2025년 1월 1일 이후 출시 예정 ZIOZIA GRYLON benefit

**KOMAN**我们永远和你在一起。  赞助

JTBC 2020.01.31.~2020.03.21. 16集(星期五, 星期六) 下午11:00



# 与 KOMAN 同步。平底锅赞助 虽然过分的爱但我喜欢你 KOMN(KOMAN)



**KOMAN** 我们永远和你在一起。  赞助

tvN 2020.06.20.~2020.08.09. 16集 (土, 日) 下午 09:00

# 与 KOMAN 同步。平底锅赞助

我的伙伴 KOMAN/即使所有的时机都错开，我的选择是KOMAN

모든 타이밍이 어긋나도,  
나의 경우의 수는 너 하나다

2010 2020

JTBC 금토드라마  
친구에서 연인이 되는  
**경우의 수**  
9월 25일 [금]  
밤 11시 첫방송

윤성우 ♥ 신예은

**KOMAN** 我们永远和你在一起。  赞助

JTBC 2020.09.25. ~ 2020.11.28. 16부작 (금, 토) 오후 11:00



大韩韩国厨房用品专业品牌KOMAN

# KOMAN

## 大韩韩国 厨房用品 专业品牌 KOMAN

韩国的KOMAN 制造商以一流的使命感和超人的能力拯救地球帮助人类、实现正义  
KOMAN以优先考虑国民健康的心态制作厨房用品。



2020年 首尔大奖  
KOMAN 优秀商品 评选



梨泰院Class公司 KOMAN平底锅  赞助



> 专业平底锅和6重涂层

Made in Korea

### 6-Layers Coating System



### 特长...

1. 钛涂层 (含有粉末)
2. 制作高级铸件 (Dacasting)
3. 6层涂层系统 (内脏4层, 外脏2层)
4. 涂层: 氟树脂涂层 (含钛粉末)
5. 手柄: 酚醛塑料 (电木)



### 试验成绩书 (认证书)

PFOA  
未检出

铅、镉未检出  
未检出

用钢丝球  
洗碗刷  
10万次

中性盐分  
1000小时



KOMAN [www.koman.kr](http://www.koman.kr) / KOMAN 网站 [www.komanmall.kr](http://www.komanmall.kr)

# KOREA SUPERMAN



# KOMAN Shanewon 黑色



产品	KOMAN Shinewon 黑色钛涂层平底锅，宫中平底锅整体。
样品	平底锅，宫中锅整个
材料	铝（铸造物）、酚醛塑料（手柄）
尺寸	平底锅: 20, 26, 28, 30, 32cm / IH 平底锅 20, 26, 28, 30, 32 cm 宫中平底锅: 20, 26, 28, 30, 32, 34cm / IH 宫中平底锅 20, 26, 28, 30, 32, 34cm
涂层	氟树脂涂层-PTFE(polytetrafluoroethylene), 含有钛
品牌	KOMAN
制作公司	KOMAN(株)
原产地	大韩民国
特点	1. 黑色钛涂层平底锅 2. 优质铝铸件（铸件） 3. 6中涂层系统 (内装4中、外装2中) 4. 含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛
实验成绩表	1. 溶出及残余试验: 不检出 *（溶出）:铅、高锰酸钾消耗量、总溶出量 *（残余）:铅、镉、汞、价格 2. 环境污染物(PPOA):未检出 * PFOA(银色) 3. 耐磨性 (*)-金属表面暴露确认100,000次 * 试验次数:100,000 cycle/min

**KOREA SUPERMAN**



# KOMAN Shinewon 红色。

产品	KOMAN Shinewon 红色钛涂层平底锅，宫中锅全体	
		
产品	KOMAN Shinewon 红色钛涂层平底锅，宫中锅全体	
样品	平底锅，宫中锅全体	
材料	铝（铸造物）、酚醛塑料（手柄）	
大小	平底锅: 20, 26, 28, 30 cm / IH 平底锅 20, 26, 28, 30 cm 宫中平底锅: 20, 26, 28, 30 cm / IH 宫中平底锅 20, 26, 28, 30 cm	
涂层	含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛	
品牌	KOMAN	
制造商	KOMAN(株)	
原产地	大韩民国	
特长	<ol style="list-style-type: none"> <li>1.黑色钛涂层平底锅</li> <li>2. 优质铝铸件（铸件）</li> <li>3. 6层涂布系统（内脏4层、外脏2层）</li> <li>4. 含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛</li> </ol>	
考试成绩单	<ol style="list-style-type: none"> <li>1. 溶出及残留测试:未检出 <ul style="list-style-type: none"> <li>* (溶出):铅、高锰酸钾消耗量、总溶出量</li> <li>* (残留):铅、镉、汞、6价铬</li> </ul> </li> <li>2. 环境污染物(PFOA):不检出 <ul style="list-style-type: none"> <li>* PFOA(Purfluorooctanoic Acid)</li> </ul> </li> <li>3.耐磨性(*)-金属表面暴露确认100,000次 <ul style="list-style-type: none"> <li>* 考试次数:100,000 cycle/min</li> </ul> </li> </ol>	

KOREA SUPERMAN



# KOMAN Avokado 酪梨

产品	KOMAN Avokado 酪梨钛涂层平底锅，宫中锅全体	
 	产品	KOMAN Avokado 酪梨钛涂层平底锅，宫中锅全体
	样品	平底锅，宫中锅全体
材料	铝（铸造物）、酚醛塑料（手柄）	
大小	平底锅: 20, 26, 28, 30, 32cm / IH 平底锅 20, 26, 28, 30, 32 cm	
	宫中平底:20, 26, 28, 30, 32, 34cm / IH 宫中平底 20, 26, 28, 30, 32, 34cm	
涂层	含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛	
品牌	KOMAN	
制造商	KOMAN(株)	
原产地	大韩民国	
特长	1. 黑色钛涂层煎锅	
	2. Premium铝铸造（铸造）	
	3. 6层涂布系统（内脏4层、外脏2层）	
	4. 含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛	
试验 成绩表	1. 溶出及残留测试:不检出	
	* (溶出):铅、高锰酸钾消耗量、总溶出量	
	* (残留):铅、镉、汞、6加铬	
	2. 环境污染物(PPOA):未检出	
	* PFOA(perfluorooctanoicAcid)	
	3.耐磨性(*)-金属表面暴露确认100,000次	
*试验次数:100,000 cycle/min		

**KOREA SUPERMAN**

# KOMAN 烤盘，抽水锅，砂锅

产品	KOMAN Shinewon 钛涂层烤盘28cm，水炒锅28cm，砂锅28cm
----	---



产品	KOMAN Shinewon 钛涂层烤盘28cm，水炒锅28cm，砂锅28cm
模型	烤盘28cm，水炒锅28cm，砂锅28cm
材料	铝压铸（整体铸造），电木（手柄）
尺寸	烤盘: 内径28cm, 总长度48cm, 高度5cm, 重量670g
	水炒锅: 内径28cm, 总长度35cm, 高度8cm, 重量560g)
	砂锅: 内径28cm, 总长度35cm, 高度3.5cm, 重量550g)
涂层	氟树脂涂料-PTFE(polytetrafluoroethylene), 含钛
品牌	KOMAN
制造商	KOMAN(株)
原产地	大韩民国
特征	1. 钛涂层煎锅
	2. 优质铝压铸件（铸件
	3. 6层涂层系统（内部4，外部2
	4. 氟树脂涂料-PTFE(polytetrafluoroethylene), 含钛
测试报告	1. 溶出度和残留测试：未检测到
	*（洗脱）：铅，高锰酸钾消耗量，总洗脱量
	*（残留）：铅，镉，汞，六价铬
	2. 环境污染物（PFOA）：未检测到
	* PFOA（全氟辛酸）
	3. 耐磨性（*）-100,000次金属表面暴露检查
*测试次数：100,000次/分钟	

**KOREA SUPERMAN**



# KOMAN钛涂层（西餐）油底平底锅 四角煎锅平底

产品	KOMAN Shinewon 钛涂层（西餐）油底平底锅24cm，四角煎锅平底19cm	
 		
		<p>Made in Korea KOREA SUPERMAN</p>

产品	KOMAN shy oneshy one 钛涂层（西餐）油底平底锅24cm，四角煎锅平底19cm
样品	油底平底锅24cm, 四角煎锅平底19cm
材料	铝（铸造物）、酚醛塑料（手柄）
尺寸	油炸平底锅:内径24cm，总长44cm，高6.5cm，重631g
	사각팬: 내경19cm(19*14), 전체길이39cm, 높이3.5cm, 무게455g
涂层	含氟树脂涂层-PTFE(polytetrafluoroethylene), 钛。
品牌	KOMAN
制造商	KOMAN(株)
原产地	大韩民国
优点	1. 黑色钛涂层煎锅
	2. 优势铝铸造（铸造）
	3. 6层涂布系统（内脏4层、外脏2层）
	4.含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛
考试成绩单	1. 溶出及残留测试:未检出
	* (溶出):铅、高锰酸钾消耗量、总溶出量
	* (残留):铅、镉、汞、6价铬
	2. 环境污染物(PPOA):未检出
	* PFOA(PerfluorooctanoicAcid)
	3. 耐磨性 (*)-金属表面暴露确认100,000次
* 演示次数:100,000 cycle/min	

KOREA SUPERMAN

# KOMAN 烤煎锅

产品	KOMAN 圆形烤煎锅34cm，四角烤煎锅31cm	
产品	KOMAN 圆形烤煎锅34cm，四角烤煎锅31cm	
样品	圆形烤煎锅34cm，四角烤煎锅31cm	
材料	铝（铸件）	
尺寸	원형구이팬 34cm	
	圆形烤煎锅 34cm	
涂层	含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛	
品牌	KOMAN	
制造商	KOMAN(株)	
原产地	大韩民国	
优势	1. 1. 黑色钛涂层煎锅	
	2. 优质铝铸件（铸件）	
	3. 6层涂布系统（内脏4层、外脏2层）	
	4. 含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛	
实验成绩单	1. 溶出及残留测试:未检出	
	* (溶出):铅、高锰酸钾消耗量、总溶出量	
	* (残留):铅、镉、汞、6价铬	
	2. 环境污染物(PFOA):未检出	
	* PFOA(PerfluorooctanoicAcid)	
	耐磨性 (*)-金属表面暴露确认100,000次	
试验次数:100,000 cycle/min		

**KOREA SUPERMAN**



# KOMAN 方形烤煎锅，双面烧煎锅

产品	KOMAN 钛涂层四角煎锅 33cm，双面煎锅		
  			
产品	KOMAN 钛涂层四角煎锅 33cm，双面煎锅		
样品	四角煎锅 33cm，双面煎锅		
재료	铝 (铸造物)、酚醛塑料 (手柄)		
尺寸	方形烧烤煎锅:内径33cm，总长39cm，高3cm，重1,080g		
	Double SidedPan		
코팅	불소수지코팅-PTFE(polytetrafluoroethylene), 티타늄 함유		
品牌	KOMAN		
制造商	KOMAN (株)		
原产地	大韩民国		
优势	1. 黑色钛涂层烤煎锅		
	2. 优质铝铸件 (铸件)		
	3. 6层涂布系统 (内脏4层、外脏2层)		
	4. 含氟树脂涂层-PTFE(polytetrafluoroethylene)、钛		
实验成绩表	1. 溶出及残余试验: 未检出		
	* (溶出):铅、高锰酸钾消耗量、总溶出量		
	* (残留):铅、镉、汞、6价铬		
	2. 环境污染物(PFOA):未检出		
	* PFOA(perfluorooctanoicAced)		
	3.耐磨性(*)-金属表面暴露确认100,000次		
	* 演示次数:100,000 cycle/min		

# KOMAN 传统饭锅

产品	코맨 shnewon 陶瓷涂层饭锅全体
----	---------------------



产品	KOMAN shnewon 陶瓷涂层饭锅全体
样品	饭锅 18~24cm
材料	铝 (铸件)
尺寸	가마솥 18cm, 20cm, 22cm, 24cm
涂层	陶瓷涂层。
品牌	KOMAN
制造商	KOMAN(株)
原产地	大韩民国
优质	1. 黑色钛涂层煎锅
	2. 高级铝铸件 (铸件)
	3. 陶瓷涂层
实验成绩单	1. 溶出及残留测试:未检出
	* (溶出):铅、高锰酸钾消耗量、总溶出量
	* (残留):铅、镉、汞、6价铬。
	2. 环境污染物(PPOA):未检出
	* PFOA(Perplo Octaonoic acid)
	3.耐磨性(*)-金属表面暴露确认100,000次
* 试验次数:100,000 cycle/min	

# KOMAN 锅套件

产品	KOMAN shinewon 陶瓷涂层锅5种套装	
 		
	产品	KOMAN shinewon 陶瓷涂层锅5种套装
样品	锅5种套装	
材料	铝（铸造物）、酚醛塑料（手柄）	
大小	单柄锅18cm, 双耳锅20cm, 双手24cm, 双耳锅24cm, 焖锅28cm	
大小	陶瓷涂布	
品牌	KOMAN	
制造商	KOMAN (株)	
원산지	大韩民国	
优势	1. 黑色钛涂层锅	
	2. 优质铝铸造（铸造）	
	陶瓷涂布系统。	
试验成绩单	1. 溶出及残留测试:未检出	
	* (溶出):铅、高锰酸钾消耗量、总溶出量	
	* (残留):铅、镉、汞、6价铬	
	2. 环境污染物(PFOA):未检出	
	* PFOA* PFOA(PerfluoroOctanoicAcid)	
	3.耐磨性(*)-金属表面暴露确认100,000次	
* 试验次数:100,000 cycle/min		



# KOMAN 유리뚜껑

产品	KOMAN 强化玻璃黑色盖子，酪梨盖子	
 		
产品	KOMAN 强化玻璃黑色盖子，酪梨盖子	
样品	玻璃盖子 18~34cm	
材料	强化玻璃、酚醛塑料（方向盘）、不锈钢	
大小	黑色盖子 18, 20, 24, 26, 28, 30, 32, 34cm	
	酪梨锅盖 18, 20, 24, 26, 28, 30, 32, 34cm	
涂层		
品牌	KOMAN	
制造商	KOMAN (株)	
原产地	大韩民国	
优势	1. Heat Strengthened GlassLid	
	2. Bakelite(handle)	
	3. Stainless	
试验成绩单		

# KOMAN 주방소품



产品	KOMAN 两手剪刀, 鳄鱼夹子, 炒饭勺, 锅铲
样品	玻璃盖子 18~34cm
材料	强化玻璃、酚醛塑料 ( 3. 手柄 )、不锈钢
尺寸	双手剪刀 25cm
	鳄鱼夹子 25cm
	炒饭勺 28cm
	锅铲30cm
코팅	
브랜드	KOMAN
제조사	KOMAN ( 株 )
원산지	大韩民国
优势	1. 酚醛塑料 ( 3. 手柄 )
	2. 不锈钢
	3. 硅
实验成绩书。。。。。	



(Registered Copy)

# TEST REPORT

68, Gajaeul-ro, Seo-gu, Incheon, 22829 Rep. of KOREA

TEL 82-32-5709-700 FAX 82-32-575-5613

Report No : TAS-025231  
 Representative : Eom Hyunchul  
 Company name: KOMAN Inc.  
 Address : 77, Mullae-ro, Yeongdeungpo-gu, Seoul, Korea

Receipt Date : 2017.12.15.  
 Test Completion Date : 2018.01.04.

Sample name : Frypan / Pot

## Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Abrasion Resistance Test(*) - Check the exposure of Metal surface	-	-	-	Method by Client

\* Contact area : Diameter 6 cm Circle  
 Test Load : 0.98 N  
 Test Speed : 40 cycle/min  
 Number of test : 100 000 cycle  
 Test Method : Wet(5 % Neutral Detergent)  
 Test Cloth : Iron Scrubber(3M Scotch-Brite)  
 - Usage of Report: QUALITY CONTROL

NOTE : 1. The test results of this test report are only limited in to the samples and sample names provided by the client and do not guarantee the quality of all products of the client. You can check website (www.ktr.or.kr) or QR code to verify the authenticity of the certificate.  
 2. This test report shall be used only within the purpose of its defined usage and shall not be used for public relation, advertisement and lawsuit.  
 3. This test report is only valid when printed on KTR original report paper with hologram and when re-issued by KTR. The copy and the electronic file of the test report are only for reference.

*Dong jin Lee*

Tested by Dong jin Lee  
 E-mail: ehdwls0@ktr.or.kr

*You Seok*

Technical Manager: You Seok  
 Tel: 1577-0091(ARS ①→④)

Registered copy date: 2018.01.24.

2018.01.04.

**Korea Testing & Research Institute**  
 President



QR Code for forgery

Page: 1 of 1

Electronic copy is for your reference only.

전자문서본(Electronic Copy)





(Registered Copy)

# TEST REPORT

68, Gajaeul-ro, Seo-gu, Incheon, 22829 Rep. of KOREA

TEL 82-32-5709-700 FAX 82-32-575-5613

Report No : TAS-025053  
 Representative : Eom Hyunchul  
 Company name: KOMAN Inc.  
 Address : 77, Mullae-ro, Yeongdeungpo-gu, Seoul, Korea

Receipt Date : 2017.12.14.  
 Test Completion Date : 2017.12.29.

Sample name : Frypan / pot

## Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
[Elution]Pb	mg/L	-	0.0	Standards and Specifications for Food Utensils, Containers and Packages : 2016
[Elution]Consumption of KMnO <sub>4</sub>	mg/L	-	0	Standards and Specifications for Food Utensils, Containers and Packages : 2016
[Elution]The total elution	mg/L	-	0	Standards and Specifications for Food Utensils, Containers and Packages : 2016
[Residual]Pb	mg/kg	-	0	Standards and Specifications for Food Utensils, Containers and Packages : 2016
[Residual]Cd	mg/kg	-	0	Standards and Specifications for Food Utensils, Containers and Packages : 2016
[Residual]Hg	mg/kg	-	0	Standards and Specifications for Food Utensils, Containers and Packages : 2016

- Next Page -

*Choi Soyoun*

Tested by Choi Soyoun  
 E-mail: sy31707@ktr.or.kr

*Lee Junhee*

Technical Manager: Lee Junhee  
 Tel: 1577-0091(ARS ①→④)

Registered copy date: 2018.01.24.

2017.12.29.

**Korea Testing & Research Institute**  
 President



QR Code for forgery

Page: 1 of 2

Electronic copy is for your reference only.

전자문서본(Electronic Copy)



(Registered Copy)

# TEST REPORT

68, Gajaeul-ro, Seo-gu, Incheon, 22829 Rep. of KOREA

TEL 82-32-5709-700 FAX 82-32-575-5613

Report No : TAS-025053  
 Representative : Eom Hyunchul  
 Company name: KOMAN Inc.  
 Address : 77, Mullae-ro, Yeongdeungpo-gu, Seoul, Korea

Receipt Date : 2017.12.14.  
 Test Completion Date : 2017.12.29.

Sample name : Frypan / pot

## Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
[Residual]Cr(VI)	mg/kg	-	0	Standards and Specifications for Food Utensils, Containers and Packages : 2016

- Usage of Report: QUALITY CONTROL

NOTE : 1. The test results of this test report are only limited in to the samples and sample names provided by the client and do not guarantee the quality of all products of the client. You can check website (www.ktr.or.kr) or QR code to verify the authenticity of the certificate.  
 2. This test report shall be used only within the purpose of its defined usage and shall not be used for public relation, advertisement and lawsuit.  
 3. This test report is only valid when printed on KTR original report paper with hologram and when re-issued by KTR. The copy and the electronic file of the test report are only for reference.

*Choi Soyoun*

Tested by Choi Soyoun  
 E-mail: sy31707@ktr.or.kr

*Lee Junhee*

Technical Manager: Lee Junhee  
 Tel: 1577-0091(ARS ①→④)

Registered copy date: 2018.01.24.

2017.12.29.

**Korea Testing & Research Institute**  
 President



QR Code for forgery

Page: 2 of 2

Electronic copy is for your reference only.

전자문서본(Electronic Copy)

**KOMAN CO.,LTD.**77, Mullae-ro  
Yeongdeungpo-gu, Seoul  
Korea

The following sample(s) was/were submitted and identified by/on behalf of the client as:-

**SGS File No.** : AYAA17-66625  
**Product Name** : Frypan  
**Item No./Part No.** : N/A  
**Received Date** : 2017. 12. 19  
**Test Period** : 2017. 12. 19 to 2017. 12. 27  
**Test Results** : For further details, please refer to following page(s)

SGS Korea Co., Ltd.



Jeff Jang / Chemical Lab Mgr

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm) <[http://www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm)>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).




**Sample No.** : AYAA17-66625.001  
**Sample Description** : Frypan  
**Item No./Part No.** : N/A  
**Materials** : N/A

**Other(s)**

Test Items	Unit	Test Method	MDL	Results
PFOA (Perfluorooctanoic acid)	mg/kg	US EPA 3540C/3550C, LC/MS	1	N.D.

- NOTE:
- (1) N.D. = Not detected.(<MDL)
  - (2) mg/kg = ppm
  - (3) MDL = Method Detection Limit
  - (4) - = No regulation
  - (5) \*\* = Qualitative analysis (No Unit)
  - (6) Negative = Undetectable / Positive = Detectable



\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm) [http://www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).

# KOMAN

## 상표등록증

CERTIFICATE OF TRADEMARK REGISTRATION



등록  
Registration Number

제 40-1279535 호

출원번호  
Application Number

제 40-2016-0091541 호

출원일  
Filing Date

2016년 10월 28일

등록일  
Registration Date

2017년 08월 24일

상표권자 Owner of the Trademark Right

엄현철(000000-\*\*\*\*\*)

서울특별시 영등포구 국제금융단지 1000호 (국제금융  
단지 유한회사)

상표를 사용할 상품 및 구분

List Of Goods

제 21 류

비전기식 냄비등 7건

# KOMAN

위의 표장은 「상표법」에 따라 상표등록원부에 등록되었음을 증명합니다.

This is to certify that, in accordance with the Trademark Act, a trademark has been registered at the Korean Intellectual Property Office.



특허청

Korean Intellectual  
Property Office

2017년 08월 24일

특허청장

COMMISSIONER,  
KOREAN INTELLECTUAL PROPERTY OFFICE

성문보



# KOMAN 与 KOMAN 同步。平底锅赞助 曝光照片:梨泰院class





# KOMAN 与 KOMAN 同步。平底锅赞助 KOMAN, 我心只要您



**KOMAN 코맨과 함께 합니다.** 협찬  
tvN 2020.06.20. ~ 2020.08.09. 16부작 (토, 일) 오후 09:00



**KOMAN 코맨과 함께 합니다.** 협찬  
JTBC 2020.09.25. ~ 2020.11.28. 16부작 (금, 토) 오후 11:00



KOMAN Shinewon Product Information and Standards / 코맨 샤인원 제품정보 및 규격

번호	상품명	크기(cm)	제품명	발주수량	내경(cm)	길이(cm)	높이(cm)	무게(cm)		Qty(pcs)	Carton Box
								SIZE(cm)	Product Name		
1	Frying Pan	20	KOMAN Shinewon Titanium Coating Frying Pan 20cm	1000	20	36.5	4.5	380	10	480×280×230	
2		26	KOMAN Shinewon Titanium Coating Frying Pan 26cm	1000	26	46	5	530	10	620×350×190	
3		28	KOMAN Shinewon Titanium Coating Frying Pan 28cm	1000	28	48	5	620	10	620×350×190	
4		30	KOMAN Shinewon Titanium Coating Frying Pan 30cm	1000	30	50	5	720	10	650×390×215	
5		32	KOMAN Shinewon Titanium Coating Frying Pan 32cm	1000	32	52	5.3	760	10	700×420×210	
6	Wok Pan	20	KOMAN Shinewon Titanium Coating Wok Pan 20cm	1000	20	37	7	410	10	480×280×230	
7		26	KOMAN Shinewon Titanium Coating Wok Pan 26cm	1000	26	46	8	590	10	620×350×190	
8		28	KOMAN Shinewon Titanium Coating Wok Pan 28cm	1000	28	48	8.5	670	10	620×350×190	
9		30	KOMAN Shinewon Titanium Coating Wok Pan 30cm	1000	30	50	9	790	10	650×390×215	
10		32	KOMAN Shinewon Titanium Coating Wok Pan 32cm	1000	32	52	9.5	870	10	690×420×230	
11	Special Pan	34	KOMAN Shinewon Titanium Coating Wok Pan 34cm	1000	34	54	10	930	10	730×450×230	
12		19	KOMAN Shinewon Titanium Coating Square Pan 19cm	1000	14*19	39	3.5	440	10	480×280×230	
13		24	KOMAN Shinewon Titanium Coating Saute Pan 24cm	1000	24	44	6.5	630	10	620×350×190	
14		28	KOMAN Shinewon Titanium Coating Grill Pan 28cm	1000	28	48	5.5	630	10	620×350×190	
15		28	KOMAN Shinewon Ceramic Coating two hands Wok 28cm	1000	28	35	8	560	10	620×350×190	
16	Caldron	28	KOMAN Shinewon Titanium Coating Casserole 28cm	1000	28	33.5	3.5	550	10	480×280×230	
17		18	KOMAN Shinewon Ceramic Coating Gamasot 18cm	1000	18	22	14.5	1150	10		
18		20	KOMAN Shinewon Ceramic Coating Gamasot 20cm	1000	20	24	17.5	1310	10		
19		22	KOMAN Shinewon Ceramic Coating Gamasot 22cm	1000	22	26	19	1570	10		
20		24	KOMAN Shinewon Ceramic Coating Gamasot 24cm	1000	24	28	20.5	1830	10		
21	Sauce Pot	18	KOMAN Shinewon Ceramic Coating One Hand 18cm	1000	18	34.5	8.5	830	10	430×400×595	
22		20	KOMAN Shinewon Ceramic Coating Sauce Pot 20	1000	20	28	9	1112	8	530×490×270	
23		24	KOMAN Shinewon Ceramic Coating Sauce Pot 24	1000	24	32.4	11.5	1361	8	430×400×595	
24		24	KOMAN Shinewon Ceramic Coating Low Pot 24	1000	24	32.4	6.7	1274	8	430×400×595	
25		28	KOMAN Shinewon Ceramic Coating Deep Pot 28	1000	28	39	18.5	1831	6	430×400×595	

번호	상품명	크기(cm)	제품명		발주수량	내경(cm)	길이(cm)	높이(cm)		Qty(pcs)	Carton Box
			Product Name	SIZE(cm)				Inner diameter(cm)	Height(cm)		
26	IH Frying Pan	20	KOMAN Shinewon IH Titanium Coating Frying Pan 20cm	20	1000	20	36.5	4.5	10	620×350×190	
27		26	KOMAN Shinewon IH Titanium Coating Frying Pan 26cm	26	1000	26	46	5	10		
28		28	KOMAN Shinewon IH Titanium Coating Frying Pan 28cm	28	1000	28	48	5	900		10
29		30	KOMAN Shinewon IH Titanium Coating Frying Pan 30cm	30	1000	30	50	5	10		10
30		32	KOMAN Shinewon IH Titanium Coating Frying Pan 32cm	32	1000	32	52	5.3	10		10
31		20	KOMAN Shinewon IH Titanium Coating Wok Pan 20cm	20	1000	20	37	7	10		10
32	IH Wok Pan	26	KOMAN Shinewon IH Titanium Coating Wok Pan 26cm	26	1000	26	46	8	10	620×350×190	
33		28	KOMAN Shinewon IH Titanium Coating Wok Pan 28cm	28	1000	28	48	8.5	815		10
34		30	KOMAN Shinewon IH Titanium Coating Wok Pan 30cm	30	1000	30	50	9	10		10
35		32	KOMAN Shinewon IH Titanium Coating Wok Pan 32cm	32	1000	32	52	9.5	10		10
36		34	KOMAN Shinewon IH Titanium Coating Wok Pan 34cm	34	1000	34	54	10	10		10
37		19	KOMAN Shinewon IH Titanium Coating Square Pan 19cm	14*19	1000	1000	14*19	39	3.5		10
38	IH Special Pan	24	KOMAN Shinewon IH Titanium Coating Saute Pan 24cm	24	1000	24	44	6.5	10	620×350×190	
39		28	KOMAN Shinewon IH Titanium Coating Grill Pan 28cm	28	1000	28	48	5.5	10	620×350×190	
40		28	KOMAN Shinewon IH Ceramic Coation two hands Wok 28cm	28	1000	28	35	8	10	620×350×190	
41		28	KOMAN Shinewon IH Titanium Coating Casserole 28cm	28	1000	28	33.5	3.5	10	480×280×230	
42		18	KOMAN Shinewon IH Ceramic Coating Gamasot 18cm	18	1000	1000	18	22	14.5	10	
43		20	KOMAN Shinewon IH Ceramic Coating Gamasot 20cm	20	1000	1000	20	24	17.5	10	
44	IH Caldron	22	KOMAN Shinewon IH Ceramic Coating Gamasot 22cm	22	1000	22	26	19	10		
45		24	KOMAN Shinewon IH Ceramic Coating Gamasot 24cm	24	1000	1000	24	28	20.5	10	
46		18	KOMAN Shinewon IH Ceramic Coating One Hand 18cm	18	1000	1000	18	34.5	8.5	10	430×400×595
47		20	KOMAN Shinewon IH Ceramic Coating Sauce Pot 20	20	1000	1000	20	28	9	8	530×490×270
48		24	KOMAN Shinewon IH Ceramic Coating Sauce Pot 24	24	1000	1000	24	32.4	11.5	8	430×400×595
49		24	KOMAN Shinewon IH Ceramic Coating Low Pot 24	24	1000	1000	24	32.4	6.7	8	430×400×595
50	IH Sauce Pot	28	KOMAN Shinewon IH Ceramic Coating Deep Pot 28	28	1000	28	39	18.5	6	430×400×595	

**Glass Lid**

No	Product	SIZE(cm)	Product Name	MOQ	Inner diameter(cm)	Length(cm)	Height(cm)	weight(g)	Qty(pcs)	Carton Box
2	20	KOMAN Tempered Glass Lid 20cm	1000	20				20		
3	24	KOMAN Tempered Glass Lid 24cm	1000	24				20		
4	26	KOMAN Tempered Glass Lid 26cm	1000	26				20		
5	28	KOMAN Tempered Glass Lid 28cm	1000	28				20		
6	30	KOMAN Tempered Glass Lid 30cm	1000	30				20		
7	32	KOMAN Tempered Glass Lid 32cm	1000	32				20		
8	34	KOMAN Tempered Glass Lid 34cm	1000	34				20		



# KOMAN



## 2020首尔颁奖典礼 KOMAN 优秀商品评选 (首尔产业振兴院)

负责人：嚴贤哲

电 话：070-7019-9400

手 机：010-9229-9416

邮 箱：eomhch@koman.kr

koman：www.koman.kr

公司网站：www.komanmall.kr